

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Addiese: COMMISSIONER FOR PATENTS P O Box 1450 Alexandra, Virginia 22313-1450 www.wepto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.	
10/580,590	05/25/2006	Kenji Nishi	06354/LH	5451	
7590 02/18/2010 FRISHAUF, HOLTZ, GOODMAN & CHICK, PC 220 Fifth Avenue			EXAM	EXAMINER	
			LEWIS, DAVID LEE		
16TH Floor NEW YORK, NY 10001-7708		ART UNIT	PAPER NUMBER		
- ,			2629		
			MAIL DATE	DELIVERY MODE	
			02/18/2010	PAPER	

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

SUPPLEMENTAL Notice of Allowability

Application No.	Applicant(s)	Applicant(s)		
10/580,590	NISHI, KENJI			
Examiner	Art Unit			
DAVID L. LEWIS	2629			

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

- This communication is responsive to 5/25/2006.
- The allowed claim(s) is/are 1-29.
- 3. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
 - b) ☐ Some* c) ☐ None of the:
 - 1. A Certified copies of the priority documents have been received.
 - 2. Certified copies of the priority documents have been received in Application No. __
 - 3.
 ☐ Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).
 - * Certified copies not received: _____.

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.

- A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
- CORRECTED DRAWINGS (as "replacement sheets") must be submitted.
 - (a) Including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached 1) hereto or 2) to Paper No./Mail Date
 - (b) including changes required by the attached Examiner's Amendment / Comment or in the Office action of

Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).

6.

DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

Attachment(s)

- 1. | Notice of References Cited (PTO-892)
- Notice of Draftperson's Patent Drawing Review (PTO-946).
- 4. T Examiner's Comment Regarding Requirement for Deposit of Biological Material
- 3. Information Disclosure Statements (PTO/SB/08), Pacer No./Mail Date
- /David L Lewis/ Primary Examiner, Art Unit 2629

- 5. Notice of Informal Patent Application
- 6 Interview Summery (PTO-413) Paper No./Mail Date
- 7. X Examiner's Amendment/Comment 8. T Examiner's Statement of Reasons for Allowance
- 9.

 ☐ Other

U.S. Patent and Trademark Office PTOL-37 (Rev. 08-06)

Page 2

Application/Control Number: 10/580,590

Art Unit: 2629

EXAMINER'S AMENDMENT

 An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Attorney Holtz on 11/19/2009.

The application has been amended as follows:

13. (Examiner Amended) An information inputting device comprising,

an illumination optical system that illuminates with an illumination light the hand region of an operator to which an information inputting tool according to <u>any one of</u> claims 1-4 is attached,

an optical system that leads from said hand region of the operator the reflection light of said illumination light and forms an image of said reflection portion in a predetermined position, and

a two-dimensional light receiving device that images said image in the predetermined position.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to DAVID L. LEWIS whose telephone number is (571)272-7673. The examiner can normally be reached on M, T, W, TH, F.

Art Unit: 2629

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Bipin Shalwala can be reached on 703 305-4938. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/David L Lewis/ Primary Examiner, Art Unit 2629